



LR DISPLAY RECEIVERS FOR GRADING & EXCAVATING



GETTING TO GRADE FASTER INCREASES OPERATOR AND MACHINE PRODUCTIVITY

Spectra Precision® LR Display Systems let you spend less time walking the job site ... and more time in the cab being productive. The laser display receiver guides the operator to the desired elevation or depth without a grade checker. Your accuracy will improve and your profits will increase. The operator optimizes machine time, effectiveness, efficiency and increases safety.

You can use these rugged, highly flexible display systems on a wide range of machines. The receivers are self-contained, portable and easily moved from machine to machine for greater operator and machine efficiency. A wireless remote display and quick mounting accessories add to the versatility of the receivers.

APPLICATIONS

- Backhoes
- Excavators
- Skid Steer Attachments
- Box Blades
- Dozers
- Trenchers

LASER DISPLAY SYSTEM BENEFITS

- Allows operator to check grade from the cab; increases productivity and safety and reduces labor
- Reduces rework because material is moved only one time
- Increases overall operator and machine efficiency, saving fuel and time

- Can easily and quickly be moved from one machine to another
- Wireless remote capability
- Works with your existing rotating laser - no longer need a second person with a rod mounted laser receiver





TOUGH, AFFORDABLE LASER MACHINES



LR20 FOR GRADE AND DEPTH CONTROL

Ideal for use on mini-excavators and compact machines

- 8-inch, 360-degree laser reception provides large working area and range
- Built in plumb indicator for fast, accurate grade checking in mini-excavator applications
- Super bright grade display with green "on-grade" LEDs provides superior depth/elevation indication
- Push button setup for ease of use and application flexibility
- System package with mini magnetic mount fits in compact carrying case for easy storage and transport
- Center and offset on-grades are ideal for both grading and excavating applications



LR30 FOR GENERAL GRADING

Used on dozers and leveling equipment

- Use on grading equipment including dozers, scrapers, skid steers and levelers
- Five channels of grade information plus directional and out-of-beam indicator
- Three selectable accuracies meet job tolerances from rough grading to final finishing
- Full 360-degree reception picks up the laser from all directions
- LR30W links wirelessly to the RD20 in-cab display



LR50 FOR EXCAVATING AND GRADING

Features built-in blade tilt and excavator boom plumb indicator

- Built-in blade tilt indicator helps the operator keep the blade level for increased accuracy and productivity
- Center On-grade provides an equal amount of grade information above and below on-grade. Use on dozers, graders, scrapers and box blades
- Built-in plumb indicator for fast, accurate grade checking in excavation applications
- Offset on-grade gives you more range above grade using the entire receiver for more productive excavation
- LR50W links wirelessly to the RD20 in-cab display



ACCESSORIES: RD20 Wireless Remote Display

Wireless remote mounts in the cab and displays grade information to the operator. Helps keep focus on the work and not on the receiver for higher productivity. Works with LR30W, LR50W & LR60W.

SPECTRA PRECISION MACHINE DISPLAY RECEIVER FEATURES AND BENEFITS

Versatile, 360-Degree Reception

Works with all types of rotating lasers and on all types of machinery for fast, no-hassle setup.

Multiple Accuracy Choices

Offers maximum flexibility to meet jobsite requirements, from rough grading to final finishing.

Wireless Remote Capability

Provides in-cab display of elevation and audible signals.

Adjustable, Ultra-bright LED with Green On-Grade Display

Provides user selectable, easy-to-see display to match ambient lighting conditions.

Out-of-Laser Beam Indication

to move and get back in the beam. Selectable on or off.

Two-Year Warranty

Reliability you can count on.

Power Options

Choose alkaline batteries, nickel metal hydride rechargeable batteries, or a power cord that connects directly to the machine power.

Rugged & Waterproof

Durable polycarbonate and aluminum die cast housings withstand all weather and construction site conditions. Internal isolating shock mounts protect the electronics.



LR60 FOR HIGH SPEED EXCAVATING

Features Angle Compensation for Excavating (ACE) for accurate elevation readings without being plumb

- Patented Angle Compensation for Excavators automatically calculates and corrects the grade display for the angle of the dipper arm
- Check grade with the dipper arm extended or retracted up to 30 degrees
- Built-in plumb indicator for fast, accurate grade checking
- Large vertical reception height for use with bigger excavators
- Center On-grade provides an equal amount of grade information above and below on-grade. Use on dozers, graders, scrapers and box blades
- LR60W links wirelessly to RD20 in-cab display



MM-1 Magnetic Mount

The MM-1 quickly attaches to the dipper arms of excavators or backhoes. Strong dual magnet packs will not slip on the machine and are adjustable for quick installation and set-up.



DM-20 Dozer Mast

The DM-20 is an easy-to-install rigid mast for grading machines. No welding is required and no drilling/tapping is required for common control-ready machines.

SPECIFICATIONS		LR20	LR30 / LR30W
Number of Display Channels	5-Channel Display	5-Channel Display	5-Channel Display
Accuracy: Center On-Grade Mode (Grading)	Fine: 5 mm (0.20 in) Standard: 10 mm (0.40 in) Wide: 20 mm (0.80 in)	Fine: 5 mm (0.20 in) Standard: 12 mm (0.45 in) Wide: 32 mm (1.25 in)	
Accuracy: Offset On-Grade Mode (Excavating)	Fine: 12 mm (0.50 in) Standard: 25 mm (1.0 in) Wide: 50 mm (2.0 in)	NA	
Ace (Angle Compensation Mode)	NA	NA	
Blade - Tilt Accuracy	NA	NA	
Plumb - Swing Accuracy	± 0.5°, ± 1.5°, ± 2.5°	NA	
Vertical Reception	203 mm (8 in)	171 mm (6.75 in)	
LED Battery Life Alkaline Bright/Dim Wireless with remote on Ni-MH Bright/Dim Wireless with remote on	35 Hours	50 / 75 hrs 30 / 40 hrs 40 / 50 hrs 20 / 30 hrs	
Receiver Warranty	2 Years	2 Years	
SPECIFICATIONS		LR50 / LR50W	LR60 / LR60W
Number of Display Channels	5-Channel Display 6-Channel Display in excavating mode	9-Channel Display	
Accuracy: Center On-Grade Mode (Grading)	Fine: 5 mm (0.20 in) Standard: 10 mm (0.40 in) Wide: 20 mm (0.80 in)	Setup: 5 mm (0.20 in) Fine: 10 mm (0.40 in) Standard: 20 mm (0.80 in) Wide: 40 mm (1.6 in)	
Accuracy: Offset On-Grade Mode (Excavating)	Fine: 12 mm (0.50 in) Standard: 25 mm (1.0 in) Wide: 50 mm (2.0 in)	Setup: 6 mm (0.25 in) Fine: 12 mm (0.50 in) Standard: 25 mm (1.0 in) Wide: 50 mm (2.0 in)	
Ace (Angle Compensation Mode)	NA	Fine: 12 mm (0.50 in) Standard: 25 mm (1.0 in)	
Blade - Tilt Accuracy	± 0.5°, ± 1.5°, ± 2.5°	NA	
Plumb - Swing Accuracy	± 0.5°, ± 1.5°, ± 2.5°	NA	
Vertical Reception	171 mm (6.75 in)	222 mm (8.75 in)	
LED Battery Life Alkaline Bright/Dim Wireless with remote on Ni-MH Bright/Dim Wireless with remote on	45 / 60 hrs 20 / 30 hrs 30 / 45 hrs 15 / 20 hrs	45 / 75 hrs 35 / 25 hrs 40 / 50 hrs 25 / 20 hrs	
Receiver Warranty	2 Years	2 Years	

*Specifications subject to change

Contact Information:

AMERICAS

Spectra Precision (USA) LLC
3265 Logistics Lane, Suite 200
Dayton, Ohio 45377 • USA
Toll Free +1-888-527-3771

EUROPE, MIDDLE EAST AND AFRICA

Spectra Precision (Kaiserslautern) GmbH
Am Sportplatz 5
67661 Kaiserslautern • Germany
Phone +49-6301-711414
Fax +49-6301-32213



SPECTRAPRECISION.COM

PN 022507-326D